

MAPP 19478

A water dispersible granule (WG) formulation containing 45% w/w cymoxanil. A fungicide for the control of late foliar blight (*Phytophthora infestans*).

THE (COSHH) CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH REGULATIONS MAY APPLY TO THE USE OF THIS PRODUCT AT WORK.

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment: Operators must wear suitable protective clothing (coveralls) and suitable protective gloves when handling the product.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALL) AND SUITABLE PROTECTIVE GLOVES when handling the product.

WASH SPLASHES from skin immediately.

WASH HANDS AND EXPOSED SKIN before eating and drinking or smoking and after work.

WHEN USING DO NOT EAT. DRINK OR SMOKE. AVOID CONTACT WITH SKIN.

Environmental Protection

Do not contaminate water with the product or its container. (Do not clean application equipment near surface water/ Avoid contamination via drains from farmyards and roads) Use appropriate containment to avoid environmental contamination.

EMPTY CONTAINER COMPLETELY and dispose of safely. KEEP OUT OF REACH OF CHILDREN. KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS. THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.





SAFETY INFORMATION FOR PROFESSIONAL USE ONLY

Warning

May cause an allergic skin reaction. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged

or repeated exposure (blood, thymus). Very toxic to aquatic life with long lasting effects. Do not breathe spray.

Avoid release to the environment.

Wear protective gloves.

If exposed or concerned: Get medical advice/attention. Collect spillage

Dispose of contents/container to a licenced hazardous waste disposal contactor except for empty, clean containers which can be disposed of as non-hazardous waste.

This product contains the sensitising substance maleic acid, potassium salt (CAS no. 10237-70-4).

To avoid risks to human health and the environment, comply with the instructions for use.

IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL FUNGICIDE

| Crops/situations | Maximum individual dose (Kg product/ha) | Maximum number of treatments: (per year) | Latest time of application |
|------------------|---|--|-------------------------------|
| Potato | 0.25 | 10 | 7 days before harvest |

Control of late blight of potatoes caused by phytophthera infestans is achieved when used in conjunction with products containing active substances with multi-site activity.

Other specific restrictions:

- (1) A minimum interval of 7 days must be observed between applications.
- (2) Non-returnable containers must not be re-used for any purpose.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

Storage and Disposal

KEEP IN ORIGINAL CONTAINER tightly closed, in a safe place.



Marketing Company Cropthetics Ltd

Authorisation Holder JT Agro Ltd

126-134, Baker Street, London W1U 6UE Telephone: 01628 421890 www.jtagro-cropthetics.com Email: info@jtagro-cropthetics.com

