

Page 1/10

Revision: 30.03.2023

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 1.1 (replaces version 1.0)

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: TIBERIUS
- · UFI: F703-008M-G00M-FT8H
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Fungicide
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cropthetics Ltd

Third Floor, 126-134 Baker Street, London

W1U 6UE, UK

info@jtagro-cropthetics.com

Tel: +44 1628 272102, for all calls, 9am - 5pm GMT

- · Further information obtainable from: product safety department
- **Emergency telephone number:**

Posion center of the Charité Berlin: +49 30 19240

E-Mail: giftnotruf@charite.de

### 2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Eve Irrit. 2

H319 Causes serious eye irritation.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS07 GHS09

- · Signal word Warning
- · Hazard-determining components of labelling:

1,1,1,3,5,5-Heptamethyl-3-(propyl(poly(EO))hydroxy)trisiloxane

Docusate sodium

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt

Hazard statements

H319 Causes serious eye irritation.

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023 Version number 1.1 (replaces version 1.0) Revision: 30.03.2023

Trade name: TIBERIUS

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P264 Wash thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

EUH 401: To avoid risks to human health and the environment, comply with the instructions for use.

- · Other hazards
- · Results of PBT and vPvB assessment
- · *PBT:* Not applicable. · *vPvB:* Not applicable.

# 3 Composition/information on ingredients

- Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67674-67-3	1,1,1,3,5,5-Heptamethyl-3-(propyl(poly(EO)) hydroxy)trisiloxane Acute Tox. 1, H310; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H332	≥10-<25%
CAS: 120116-83-3 EC number: 616-166-0	Cyazofamid (ISO) Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	≥10-≤25%
CAS: 577-11-7 EINECS: 209-406-4 Reg.nr.: 01-2119491296-29	Docusate sodium Eye Dam. 1, H318;  Skin Irrit. 2, H315	≥3-<10%
CAS: 81065-51-2 Reg.nr.: 01-2120771866-38-0000	Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt Eye Dam. 1, H318	≥3-≤10%
		(Contd. on page 3)

– GB —

Printing date 20.04.2023 Version number 1.1 (replaces version 1.0) Revision: 30.03.2023

Trade name: TIBERIUS

		(Contd. of page 2)
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	<0.0015%
EINECS: 220-239-6	Acute Tox. 3, H301; Acute Tox. 3, H311;	
	Acute Tox. 2, H330;  Skin Corr. 1B, H314;	
	Eye Dam. 1, H318; 🍪 Aquatic Acute 1, H400	
	(M=10); Aquatic Chronic 1, H410 (M=1); 🗘 Skin	
	Sens. 1A, H317, EUH071	
	Specific concentration limit:	
	Skin Sens. 1A;H317: C ≥ 0.0015 %	
CAS: 55965-84-9	Reaction mass of: 5-chloro-2-methyl-4-	≥0.00025-<0.0015%
Reg.nr.: 01-2120764691-48-XXXX	isothiazolin-3-one [EC no. 247-500-7] and 2-	
	methyl-2H-isothiazol-3-one [EC no. 220-239-6]	
	[(3:1)	
	Acute Tox. 3, H301; Acute Tox. 2, H310;	
	Acute Tox. 2, H330; Skin Corr. 1C, H314;	
	Eye Dam. 1, H318; Aquatic Acute 1, H400	
	(M=100); Aquatic Chronic 1, H410 (M=100);	
	Skin Sens. 1A, H317	
	Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 %	
	Skin Irrit. 2; H315: $0.06 \% \le C < 0.6 \%$	
	Eye Dam. 1; H318: $C \ge 0.6 \%$	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	
	OKIT OCIO. 174, FIOTE. O 2 0.00 TO 70	

Regulation (EC) No 648/2004 on detergents / Labelling for contents

preservation agents (METHYLISOTHIAZOLINONE, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1))

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- · Description of first aid measures
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Printing date 20.04.2023 Version number 1.1 (replaces version 1.0) Revision: 30.03.2023

**Trade name: TIBERIUS** 

(Contd. of page 3)

### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class (TRGS): 10
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

(Contd. on page 5)

Printing date 20.04.2023 Version number 1.1 (replaces version 1.0) Revision: 30.03.2023

Trade name: TIBERIUS

(Contd. of page 4)

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odourless
Odour threshold:
Melting point/freezing point:
Boiling point or initial boiling point and boiling range
Flammability
Fluid
Not determined.
Undetermined.
Not applicable.

Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

Flash point: >79 °CAuto-ignition temperature: 439 °C

Decomposition temperature: Not determined.
 pH at 20 °C 7.17 (1%)

· Viscosity:

Kinematic viscosityDynamic at 20 °C:Not determined.156-914 mPas

Solubility

· water: Fully miscible.

Partition coefficient n-octanol/water (log value)
 Vapour pressure:
 Not determined.
 Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Density (@15°C)
 Vapour density
 1.0809 g/cm³
 Not determined.
 Not determined.
 Not determined.

Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· VOC (EC)
 · Solids content:
 0.00 %
 0.0 %

· Change in condition

· Evaporation rate Not determined.

# · Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void

· Oxidising liquids Void

Printing date 20.04.2023 Version number 1.1 (replaces version 1.0) Revision: 30.03.2023

Trade name: TIBERIUS

		(Contd. of page 5
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

	•	
· LD/LC50 \	values relevant for classification:	
ATE (Acu	te Toxicity Estimates)	
Dermal	Acute toxicity estimates	55-110 mg/kg
Inhalative	LD50	7.5-15 mg/kg
67674-67-	3 1,1,1,3,5,5-Heptamethyl-3-(propyl(poly(EO))	hydroxy)trisiloxane
Dermal	Acute toxicity estimates	11 mg/kg
577-11-7	Docusate sodium	
Oral	LD50	>3,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
2682-20-4	2-methyl-2H-isothiazol-3-one	
Oral	LD50	120 mg/kg (rat)
	Acute Toxicity Estimate of ingredient (ATE) oral	100 mg/kg
Dermal	LC50 (4h) mg/l	242 mg/l (rat)
	Acute toxicity estimates	300 mg/kg
Inhalative	LC50 (4h)	0.11 mg/l (rat)
55965-84-	9 Reaction mass of: 5-chloro-2-methyl-4-isomethyl-2H-isothiazol-3-one [EC no. 220-239	
Oral	LD50	66 mg/kg (rat)
	Acute Toxicity Estimate of ingredient (ATE) oral	100 mg/kg
Dermal	LD50	>141 mg/kg (rat)
	Acute toxicity estimates	200 mg/kg
Inhalative	LC50 (4h)	0.17 mg/l (rat)
	Acute toxicity Estimate inhalative (4h)	0.31 mg/l

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 20.04.2023 Version number 1.1 (replaces version 1.0) Revision: 30.03.2023

**Trade name: TIBERIUS** 

(Contd. of page 6)

· Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### 12 Ecological information

· Toxicity

· Aquatic toxicity:	
120116-83-3 Cyazofamid (ISO)	
LC50 (96h)	>0.107 mg/l (Oncorhynchus mykiss)
EC50 (48h)	>1.107 mg/l (daphnia)
2682-20-4 2-methyl-2H-isothiazol-3-one	
LC50 (96h) mg/ltr. 6 mg/ltr (rainbow trout)	
EC50 (48h)	1.6 mg/l (daphnia)
EC50 (72h)	0.157 mg/l (algae)

- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil

120116-83-3 Cyazofamid (ISO) 3,13

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · Other adverse effects No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

## 13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue	
HP4	Irritant - skin irritation and eye damage
HP6	Acute Toxicity
HP14	Ecotoxic

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

### 14 Transport information

· UN number or ID number	
· ADR, IMDG, IATA	UN3082

(Contd. on page 8)

Printing date 20.04.2023 Version number 1.1 (replaces version 1.0) Revision: 30.03.2023

Trade name: TIBERIUS

(Contd. of page 7) · UN proper shipping name 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, · ADR LIQUID, N.O.S. (cyazofamid (ISO)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, · IMDG, IATA LIQUID, N.O.S. (cyazofamid (ISO)) · Transport hazard class(es) · ADR, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label · IMDG · Class 9 Miscellaneous dangerous substances and articles. · Label · Packing group · ADR, IMDG, IATA Ш · Environmental hazards: Product contains environmentally hazardous substances: 1,1,1,3,5,5-Heptamethyl-3-(propyl(poly(EO))hydroxy) trisiloxane · Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) · Special precautions for user Warning: Miscellaneous dangerous substances and articles. · Hazard identification number (Kemler code): 90 F-A,S-F · EMS Number: Stowage Category · Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 · Tunnel restriction code (-) · IMDG · Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml **UN "Model Regulation":** UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYAZOFAMID (ISO)), 9,

(Contd. on page 9)

Printing date 20.04.2023 Version number 1.1 (replaces version 1.0) Revision: 30.03.2023

Trade name: TIBERIUS

(Contd. of page 8)

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

- Directive 2004/42/EC
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations:
- · VOC (EU) 0.0 q/l
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

### Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

- · Relevant phrases
- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- · Department issuing SDS: Product Safety Department

Printing date 20.04.2023 Version number 1.1 (replaces version 1.0) Revision: 30.03.2023

**Trade name: TIBERIUS** 

(Contd. of page 9)

· Contact: MSDS authorized Person

· Version number of previous version: 1.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 1: Acute toxicity – Category 1

Acute Tox. 2: Acute toxicity — Category 2
Acute Tox. 4: Acute toxicity — Category 4
Skin Corr. 1B: Skin corrosion/irritation — Category 1B Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

GB —